

Film	Rév.	Dilution	ASA/ISO	35mm	120	Plan film	Temp.
ILFORD							
Pan F+	Ilfotec LC29	1+19	50	4	4		20°
Pan F+	Ilfotec LC29	1+29	50	5,30	5,30		20°
FP4+	Ilfotec LC29	1+19	50	6	6	6	20°
FP4+	Ilfotec LC29	1+29	50	8	8	8	20°
FP4+	Ilfotec LC29	1+19	125	8	8	8	20°
FP4+	Ilfotec LC29	1+29	125	12	12	12	20°
FP4+	Ilfotec LC29	1+9	200	5	5	5	20°
FP4+	Ilfotec LC29	1+19	200	9	9	9	20°
HP5+	Ilfotec LC29	1+19	400	6,30	6,30	6,30	20°
HP5+	Ilfotec LC29	1+29	400	9	9	9	20°
HP5+	Ilfotec LC29	1+9	800	5	5	5	20°
HP5+	Ilfotec LC29	1+19	800	9,30	9,30	9,30	20°
HP5+	Ilfotec LC29	1+9	1600	7,30	7,30	7,30	20°
HP5+	Ilfotec LC29	1+19	1600	14	14	14	20°
HP5+	Ilfotec LC29	1+9	3200	12,30	12,30	12,30	20°
Pan 100	Ilfotec LC29	1+19	50	6			20°
Pan 100	Ilfotec LC29	1+29	50	8			20°
Pan 100	Ilfotec LC29	1+9	100	4			20°
Pan 100	Ilfotec LC29	1+19	100	8			20°
Pan 100	Ilfotec LC29	1+29	100	12			20°
Pan 100	Ilfotec LC29	1+9	200	5			20°
Pan 100	Ilfotec LC29	1+19	200	9			20°
Pan 400	Ilfotec LC29	1+14	200	5			20°
Pan 400	Ilfotec LC29	1+29	200	7			20°
Pan 400	Ilfotec LC29	1+9	400	3			20°
Pan 400	Ilfotec LC29	1+14	400	6			20°
Pan 400	Ilfotec LC29	1+29	400	9			20°
Pan 400	Ilfotec LC29	1+9	800	5			20°
Pan 400	Ilfotec LC29	1+14	800	9			20°
Pan 400	Ilfotec LC29	1+9	1600	7			20°
Pan 400	Ilfotec LC29	1+14	1600	14			20°
Pan 400	Ilfotec LC29	1+9	3200	11			20°
Delta 100 Pro	Ilfotec LC29	1+19	50	4,30	4,30		20°
Delta 100 Pro	Ilfotec LC29	1+29	50	5,30	5,30		20°
Delta 100 Pro	Ilfotec LC29	1+19	100	5	5		20°
Delta 100 Pro	Ilfotec LC29	1+29	100	7	7		20°
Delta 400 Pro	Ilfotec LC29	1+19	200	5	5		20°
Delta 400 Pro	Ilfotec LC29	1+29	200	8,30	8,30		20°
Delta 400 Pro	Ilfotec LC29	1+9	320	4	4		20°
Delta 400 Pro	Ilfotec LC29	1+19	400	7,30	7,30		20°
Delta 400 Pro	Ilfotec LC29	1+29	400	11,30	11,30		20°
Delta 400 Pro	Ilfotec LC29	1+9	800	5,30	5,30		20°
Delta 400 Pro	Ilfotec LC29	1+19	800	10	10		20°
Delta 400 Pro	Ilfotec LC29	1+29	800	17	17		20°
Delta 400 Pro	Ilfotec LC29	1+9	1600	7,30	7,30		20°
Delta 400 Pro	Ilfotec LC29	1+19	1600	14	14		20°
Delta 400 Pro	Ilfotec LC29	1+9	3200	13	13		20°

Delta 3200 Pro	Ilfotec LC29	1+19	400	6	6		20°
Delta 3200 Pro	Ilfotec LC29	1+9	800	4,30	4,30		20°
Delta 3200 Pro	Ilfotec LC29	1+19	800	7,30	7,30		20°
Delta 3200 Pro	Ilfotec LC29	1+9	1600	5	5		20°
Delta 3200 Pro	Ilfotec LC29	1+19	1600	9	9		20°
Delta 3200 Pro	Ilfotec LC29	1+9	3200	8	8		20°
Delta 3200 Pro	Ilfotec LC29	1+19	3200	15	15		20°
Delta 3200 Pro	Ilfotec LC29	1+9	6400	13	13		20°
SFX 200	Ilfotec LC29	1+9	200	5	5		20°
SFX 200	Ilfotec LC29	1+19	200	9	9		20°
SFX 200	Ilfotec LC29	1+29	200	11	11		20°
SFX 200	Ilfotec LC29	1+9	400	7	7		20°
SFX 200	Ilfotec LC29	1+19	400	13	13		20°

KODAK

Tri-X 320	Ilfotec LC29	1+29	320			12	20°
Tri-X 400	Ilfotec LC29	1+19	400	6,30			20°
T-Max 100	Ilfotec LC29	1+19	100	7,30	6,00	7,30	20°
T-Max 100	Ilfotec LC29	1+29	100	11	9	11	20°
T-Max 400	Ilfotec LC29	1+19	400	6,30	6,30	6,30	20°
T-Max 400	Ilfotec LC29	1+29	400	9	9	9	20°
T-Max 400	Ilfotec LC29	1+24	1600	10	10	10	20°

FUJI

Acros100	Ilfotec LC29	1+19	80	4,30	4,30	4,30	20°
Acros100	Ilfotec LC29	1+29	80	7	7	7	20°
Acros100	Ilfotec LC29	1+29	100	8	8	8	20°

FOMA

Fomapan 100	Ilfotec LC29	1+19	100	6,30	6,30	6,30	20°
Fomapan 200	Ilfotec LC29	1+19	200	6,30	6,30	6,30	20°
Fomapan 200	Ilfotec LC29	1+29	400	15	15	15	20°
Fomapan 400	Ilfotec LC29	1+29	200	7	7	7	20°
Fomapan 400	Ilfotec LC29	1+29	400	9	9	9	20°