

Film	Rév.	Dilution	ASA/ISO	35mm	120	Plan Film	Temp.
ILFORD							
Pan F+50	ID-11	1+3	12	9			20°
Pan F+50	ID-11	stock	25-50	6,30	6,30		20°
Pan F+50	ID-11	1+1	25-50	8,30	8,30		20°
Pan F+50	ID-11	1+3	25	14	14		20°
Pan F+50	ID-11	1+3	50	15	15		20°
FP4+	ID-11	stock	50	6,30	6,30	6,30	20°
FP4+	ID-11	1+1	50	8	8	8	20°
FP4+	ID-11	1+3	50	17	17	17	20°
FP4+	ID-11	1+1	80			9,30	20°
FP4+	ID-11	stock	125	8,30	8,30	8,30	20°
FP4+	ID-11	1+1	125	11	11	11	20°
FP4+	ID-11	1+3	125	20	20	20	20°
FP4+	ID-11	stock	200	10	10	10	20°
FP4+	ID-11	1+1	200	15	15	15	20°
HP5+	ID-11	1+3	200	14			20°
HP5+	ID-11	1+2	250		15		20°
HP5+	ID-11	stock	400	7,30	7,30	7,30	20°
HP5+	ID-11	1+1	400	13	13	13	20°
HP5+	ID-11	1+3	400	20	20	20	20°
HP5+	ID-11	stock	800	11	11	11	20°
HP5+	ID-11	1+1	800	17	17	17	20°
HP5+	ID-11	stock	1600	14	14	14	20°
HP5+	ID-11	1+7	1600	60			20°
Pan 100	ID-11	stock	50	6			20°
Pan 100	ID-11	1+1	50	7			20°
Pan 100	ID-11	1+3	50	14			20°
Pan 100	ID-11	stock	100	7			20°
Pan 100	ID-11	1+1	100	10			20°
Pan 100	ID-11	1+3	100	16			20°
Pan 100	ID-11	stock	200	9			20°
Pan 100	ID-11	1+1	200	15			20°
Pan 400	ID-11	stock	200	6			20°
Pan 400	ID-11	1+1	200	12			20°
Pan 400	ID-11	1+3	200	18			20°
Pan 400	ID-11	stock	400	7			20°
Pan 400	ID-11	1+1	400	13			20°
Pan 400	ID-11	1+3	400	20			20°
Pan 400	ID-11	stock	800	10			20°
Pan 400	ID-11	1+1	800	16			20°
Pan 400	ID-11	stock	1600	14			20°
Delta 100 Pro	ID-11	stock	50	7	7	7	20°
Delta 100 Pro	ID-11	1+1	50	10	10	10	20°
Delta 100 Pro	ID-11	1+3	50	15	15	15	20°

Delta 100 Pro	ID-11	stock	100	8,30	8,30	9	20°
Delta 100 Pro	ID-11	1+1	100	11	11	12	20°
Delta 100 Pro	ID-11	1+3	100	20	20	21	20°
Delta 100 Pro	ID-11	stock	200	10,30	10,30	11	20°
Delta 100 Pro	ID-11	1+1	200	13	13	14	20°
Delta 400 Pro	ID-11	stock	200	7	7		20°
Delta 400 Pro	ID-11	1+1	200	10	10		20°
Delta 400 Pro	ID-11	1+3	200	18	18		20°
Delta 400 Pro	ID-11	stock	400	9,30	9,30		20°
Delta 400 Pro	ID-11	1+1	400	14	14		20°
Delta 400 Pro	ID-11	1+3	500	20	20		24°
Delta 400 Pro	ID-11	stock	800	11,30	11,30		20°
Delta 400 Pro	ID-11	1+1	800	18	18		20°
Delta 400 Pro	ID-11	stock	1600	14,30	14,30		20°
Delta 400 Pro	ID-11	1+2	1600		30		20°
Delta 400 Pro	ID-11	stock	3200	19	19		20°
Delta 3200 Pro	ID-11	stock	400	7	7		20°
Delta 3200 Pro	ID-11	stock	800	8	8		20°
Delta 3200 Pro	ID-11	stock	1600	9,30	9,30		20°
Delta 3200 Pro	ID-11	stock	3200	10,30	10,30		20°
Delta 3200 Pro	ID-11	1+3	3200		35		20°
Delta 3200 Pro	ID-11	stock	6400	13	13		20°
Delta 3200 Pro	ID-11	stock	12500	17	17		20°
SFX 200	ID-11	stock	200	10	10		20°
SFX 200	ID-11	1+1	200-400	17	17		20°
SFX 200	ID-11	stock	400	14	14		20°
SFX 200	ID-11	stock	800	18	18		20°
XP2	ID-11	stock	400	14			20°
KODAK							
Tri-X 320	ID-11	stock	320			5,30	20°
Tri-X 320	ID-11	stock	320			6	20°
Tri-X 320	ID-11	1+1	320			9	20°
Tri-X 400	ID-11	1+1	50	7	7		20°
Tri-X 400	ID-11	1+1	200	9,30			20°
Tri-X 400	ID-11	stock	400	8	8		20°
Tri-X 400	ID-11	stock	400	7			20°
Tri-X 400	ID-11	1+1	400	10	10		20°
Tri-X 400	ID-11	stock	1600	9,30			20°
Tri-X 400	ID-11	stock	1600	13	13		20°
Tri-X 400	ID-11	1+1	1600	13,30			20°
Tri-X 400	ID-11	stock	3200	11			20°
Tri-X 400	ID-11	1+1	3200	16			20°
T-Max 100	ID-11	1+1	64			12	20°
T-Max 100	ID-11	stock	100-200	9	9	7	20°
T-Max 100	ID-11	stock	100-200	6,30	6,30	6	20°
T-Max 100	ID-11	1+1	100	9,30	9,30	11,30	20°

T-Max 100	ID-11	1+1	100-200	12	12	11,30	20°
T-Max 100	ID-11	1+3	100-200	16	16		20°
T-Max 100	ID-11	stock	400	11	11		20°
T-Max 100	ID-11	stock	400	8,30	8,30		20°
T-Max 400	ID-11	1+3	200	12	12		20°
T-Max 400	ID-11	stock	400-800	8	8	7	20°
T-Max 400	ID-11	1+1	400-800	12,30	12,30		20°
T-Max 400	ID-11	1+3	400	15	15		20°
T-Max 400	ID-11	stock	1600	10,30	10,30		20°
T-Max 400	ID-11	1+1	1600	19			20°

FUJI

Acros 100	ID-11	stock				5,30	24°
Acros 100	ID-11	stock	64		6,30		20°
Acros 100	ID-11	stock	100	7	7		20°
Acros 100	ID-11	1+1	100		10		20°

FOMA

Fomapan 100	ID-11	stock	100	7	7	7	20°
Fomapan 100	ID-11	1+1	100	10	10	10	20°
Fomapan 100	ID-11	1+3	100	13	13	13	20°
Fomapan 100	ID-11	1+3	100	16	16	16	20°
Fomapan 100	ID-11	1+1	200	10	10	10	20°
Fomapan 200	ID-11	stock	200	6	6	6	20°
Fomapan 200	ID-11	1+1	200	9	9	9	20°
Fomapan 200	ID-11	1+3	200	13	13	13	20°
Fomapan 200	ID-11	1+3	400	18	18	18	20°
Fomapan 400	ID-11	stock	400	8	8	8	20°
Fomapan 400	ID-11	1+1	400	13	13	13	20°
Fomapan 400	ID-11	1+3	400	23	23	23	20°
Fomapan 400	ID-11	1+1	800	17	17	17	20°
Retropan 320	ID-11	stock	320	9,30		9,30	20°