

Films	Rév.	Dilution	ASA/ISO	35mm	120	Plan film	Temp.
<b>ILFORD</b>							
Pan F+	D-76	1+3	12	9			20°
Pan F+	D-76	stock	25-50	6,30	6,30		20°
Pan F+	D-76	1+3	25-50	15,30	15,30		20°
Pan F+	D-76	1+1	25-50	10,30	10,30		20°
FP4+	D-76	stock	50	6,30	6,30	6,30	20°
FP4+	D-76	1+1	50	8	8	8	20°
FP4+	D-76	1+3	50	17	17	17	20°
FP4+	D-76	1+1	80			9,30	21°
FP4+	D-76	1+1	125	11	11	11	20°
FP4+	D-76	stock	125	8,30	8,30	8,30	20°
FP4+	D-76	1+3	125	20	20	20	20°
FP4+	D-76	1+5	125	23	23		20°
FP4+	D-76	1+1	200	15	15	15	20°
FP4+	D-76	stock	200	10	10	10	20°
HP5+	D-76	1+3	200	14			20°
HP5+	D-76	1+3	400	20	20	20	20°
HP5+	D-76	1+1	400	13	13	13	20°
HP5+	D-76	stock	400	7,30	7,30	7,30	20°
HP5+	D-76	1+1	800	17	17	17	20°
HP5+	D-76	stock	800	10,30	10,30	10,30	20°
HP5+	D-76	stock	1600	14	14	14	20°
Pan 100	D-76	stock	50	6			20°
Pan 100	D-76	1+1	50	7			20°
Pan 100	D-76	1+3	50	14			20°
Pan 100	D-76	stock	100	7			20°
Pan 100	D-76	1+1	100	10			20°
Pan 100	D-76	1+3	100	16			20°
Pan 100	D-76	stock	200	9			20°
Pan 100	D-76	1+1	200	15			20°
Pan 100	D-76	stock	1600	14			24°
Pan 400	D-76	stock	200	6			20°
Pan 400	D-76	1+1	200	12			20°
Pan 400	D-76	1+3	200	18			20°
Pan 400	D-76	stock	400	7			20°
Pan 400	D-76	1+1	400	13			20°
Pan 400	D-76	1+3	400	20			20°
Pan 400	D-76	stock	800	10			20°
Pan 400	D-76	1+1	800	16			20°
Pan 400	D-76	stock	1600	14			20°
Delta 100 Pro	D-76	1+1	50	10	10	10	20°
Delta 100 Pro	D-76	1+3	50	15	15	15	20°
Delta 100 Pro	D-76	stock	50	7	7	7	20°
Delta 100 Pro	D-76	1+1	100	11	11	12	20°

Delta 100 Pro	D-76	1+3	100	20	20	21	20°
Delta 100 Pro	D-76	stock	100	8,30	8,30	9	20°
Delta 100 Pro	D-76	1+1	200	13	13	14	20°
Delta 100 Pro	D-76	stock	200	10,30	10,30	11	20°
Delta 400 Pro	D-76	1+1	200	10	10		20°
Delta 400 Pro	D-76	stock	200	7	7		20°
Delta 400 Pro	D-76	1+3	200	18	18		20°
Delta 400 Pro	D-76	1+1	400	14	14		20°
Delta 400 Pro	D-76	stock	400	9,30	9,30		20°
Delta 400 Pro	D-76	1+3	500	20	20		24°
Delta 400 Pro	D-76	1+1	800	18	18		20°
Delta 400 Pro	D-76	stock	800	12	12		20°
Delta 400 Pro	D-76	1+2	1600		30		20°
Delta 400 Pro	D-76	stock	1600	15	15		20°
Delta 400 Pro	D-76	stock	3200	19	19		20°
Delta 3200 Pro	D-76	stock	400	7	7		20°
Delta 3200 Pro	D-76	stock	800	8	8		20°
Delta 3200 Pro	D-76	stock	1600	10	10		20°
Delta 3200 Pro	D-76	stock	3200	11	11		20°
Delta 3200 Pro	D-76	stock	6400	13	13		20°
Delta 3200 Pro	D-76	1+1	6400	26			20°
Delta 3200 Pro	D-76	stock	12500	17	17		20°

**KODAK**

Tri-X 320	D-76	stock	320			6	20°
Tri-X 320	D-76	stock	320			6	20°
Tri-X 400	D-76	1+1	50	7	7		20°
Tri-X 400	D-76	1+1	200	9,30			20°
Tri-X 400	D-76	stock	400	8	8		20°
Tri-X 400	D-76	1+1	400	11	11		20°
Tri-X 400	D-76	stock	400	7			20°
Tri-X 400	D-76	1+1	400	10	10		20°
Tri-X 400	D-76	stock	1600	9,30			20°
Tri-X 400	D-76	1+1	1600	13,30			20°
Tri-X 400	D-76	stock	1600	13	13		20°
Tri-X 400	D-76	stock	3200	11			20°
Tri-X 400	D-76	1+1	3200	16			20°
T-Max 100	D-76	1+1	64			12	20°
T-Max 100	D-76	1+1	100	9,30	9,30	11,30	20°
T-Max 100	D-76	1+1	100-200	12	12	11,30	20°
T-Max 100	D-76	stock	100-200	6,30	6,30	6	20°
T-Max 100	D-76	stock	100-200	9	9	7	20°
T-Max 100	D-76	1+3	100		17		20°
T-Max 100	D-76	1+3	100-200	16	16		20°
T-Max 100	D-76	stock	400	11	11		20°
T-Max 100	D-76	stock	400	8,30	8,30		20°
T-Max 400	D-76	stock	400	7,30	7,30	7	20°

T-Max 400	D-76	1+3	200	12	12		20°
T-Max 400	D-76	1+1	320			10,30	20°
T-Max 400	D-76	1+1	400-800	12,30	12,30		20°
T-Max 400	D-76	1+3	400	15	15		20°
T-Max 400	D-76	stock	400-800	8	8	7	20°
T-Max 400	D-76	1+1	1600	19			20°
T-Max 400	D-76	stock	1600	10,30	10,30		20°

### FUJI

Acros 100	D-76	stock	64		6,30		20°
Acros 100	D-76	1+3	100		17		20°
Acros 100	D-76	stock	100	7,30	7,30		20°
Acros 100	D-76	1+1	100	10,30	10,30		20°
Acros 100	D-76	stock	200	10	10		20°

### FOMA

Fomapan 100	D-76	stock	100	7	7	7	20°
Fomapan 100	D-76	1+1	100	10	10	10	20°
Fomapan 100	D-76	1+3	100	17	17	17	20°
Fomapan 100	D-76	1+1	200	10	10	10	20°
Fomapan 200	D-76	1+1	100	8	8	8	20°
Fomapan 200	D-76	1+3	100	8	8	8	20°
Fomapan 200	D-76	stock	200	6	6	6	20°
Fomapan 200	D-76	1+1	200	9	9	9	20°
Fomapan 200	D-76	1+3	200	13	13	13	20°
Fomapan 200	D-76	1+3	400	18	18	18	20°
Fomapan 400	D-76	1+1	200	9	9	9	20°
Fomapan 400	D-76	stock	400	8	8	8	20°
Fomapan 400	D-76	1+1	400	12	12	12	20°
Fomapan 400	D-76	1+3	400	23	23	23	20°
Fomapan 400	D-76	1+1	800	17	17	17	20°
Fomapan 400	D-76	stock	1600	20	20	20	20°
Retropan 320	D-76	stock	320	9.5		9.5	20°