

Film	Rév.	Dilution	ASA/ISO	35mm	120	Plan film	Temp.
ILFORD							
Pan F+	Xtol	stock	25	6	6		20°
Pan F+	Xtol	1+1	25	7	7		20°
Pan F+	Xtol	1+2	25	9	9		20°
Pan F+	Xtol	1+3	25	10,30	10,30		20°
Pan F+	Xtol	stock	50	7	7		20°
Pan F+	Xtol	1+1	50	8	8		20°
Pan F+	Xtol	1+2	50	10	10		20°
Pan F+	Xtol	1+3	50	12	12		20°
Pan F+	Xtol	stock	100	8	8		20°
Pan F+	Xtol	1+1	100	9,30	9,30		20°
Pan F+	Xtol	1+2	100	11,30	11,30		20°
Pan F+	Xtol	1+3	100	13,30	13,30		20°
Pan F+	Xtol	stock	200	9	9		20°
Pan F+	Xtol	1+1	200	11,30	11,30		20°
Pan F+	Xtol	1+2	200	13,30	13,30		20°
Pan F+	Xtol	1+3	200	16	16		20°
Pan F+	Xtol	stock	400	10	10		20°
Pan F+	Xtol	1+1	400	13	13		20°
Pan F+	Xtol	1+2	400	15,30	15,30		20°
Pan F+	Xtol	1+3	400	18,30	18,30		20°
FP4+	Xtol	stock	32-64	6,30	6,30	6,30	20°
FP4+	Xtol	1+1	32-64	8,30	8,30	8,30	20°
FP4+	Xtol	1+2	32-64	10	10	10	20°
FP4+	Xtol	1+3	32-64	12,30	12,30	12,30	20°
FP4+	Xtol	stock	125	8	8	8	20°
FP4+	Xtol	1+1	125	10	10	10	20°
FP4+	Xtol	1+2	125	11,30	11,30	11,30	20°
FP4+	Xtol	1+3	125	15	15	15	20°
FP4+	Xtol	stock	250	9	9	9	20°
FP4+	Xtol	1+1	250	12	12	12	20°
FP4+	Xtol	1+2	250	14	14	14	20°
FP4+	Xtol	1+3	250	17	17	17	20°
FP4+	Xtol	stock	500	11	11	11	20°
FP4+	Xtol	1+1	500	14,30	14,30	14,30	20°
FP4+	Xtol	1+2	500	17,30	17,30	17,30	20°
FP4+	Xtol	1+3	500	20	20	20	20°
FP4+	Xtol	stock	1000	14	14	14	20°
FP4+	Xtol	1+1	1000	17,30	17,30	17,30	20°
FP4+	Xtol	1+2	1000	21	21	21	20°
FP4+	Xtol	1+3	1000	23,30	23,30	23,30	20°
HP5+	Xtol	1+1	100-200	10,30	10,30	10,30	20°
HP5+	Xtol	1+2	100-200	13	13	13	20°
HP5+	Xtol	1+3	100-200	14,30	14,30	14,30	20°
HP5+	Xtol	stock	200	7,30	7,30	7,30	20°
HP5+	Xtol	stock	400	8,30	8,30	8,30	20°
HP5+	Xtol	1+1	400	12	12	12	20°
HP5+	Xtol	1+2	400	16	16	16	20°
HP5+	Xtol	1+3	400	18	18	18	20°
HP5+	Xtol	stock	800	10,30	10,30	10,30	20°

HP5+	Xtol	1+1	800	14,30	14,30	14,30	20°
HP5+	Xtol	1+2	800	18	18	18	20°
HP5+	Xtol	1+3	800	23	23	23	20°
HP5+	Xtol	stock	1600	13	13	13	20°
HP5+	Xtol	1+1	1600	18	18	18	20°
HP5+	Xtol	1+2	1600	21	21	21	20°
HP5+	Xtol	1+3	1600	28	28	28	20°
HP5+	Xtol	1+3	1600	16	16	16	24°
HP5+	Xtol	stock	3200	17,30	17,30	17,30	20°
HP5+	Xtol	1+1	3200	23	23	23	20°
HP5+	Xtol	1+2	3200	28	28	28	20°
Pan 100	Xtol	1+1	400	12			20°
Pan 100	Xtol	1+1	400	12			20°
Pan 400	Xtol	1+1	400	9			20°
Delta 100 Pro	Xtol	stock	25-50	7	7	7	20°
Delta 100 Pro	Xtol	1+1	25-50	9	9	9	20°
Delta 100 Pro	Xtol	1+2	25-50	11	11	11	20°
Delta 100 Pro	Xtol	1+3	25-50	13,30	13,30	13,30	20°
Delta 100 Pro	Xtol	stock	100	8	8	8	20°
Delta 100 Pro	Xtol	1+1	100	10,30	10,30	10,30	20°
Delta 100 Pro	Xtol	1+2	100	13	13	13	20°
Delta 100 Pro	Xtol	1+3	100	15,30	15,30	15,30	20°
Delta 100 Pro	Xtol	stock	200	9,30	9,30	9,30	20°
Delta 100 Pro	Xtol	1+1	200	12	12	12	20°
Delta 100 Pro	Xtol	1+2	200	15	15	15	20°
Delta 100 Pro	Xtol	1+3	200	18	18	18	20°
Delta 100 Pro	Xtol	stock	400	11,30	11,30	11,30	20°
Delta 100 Pro	Xtol	1+1	400	14	14	14	20°
Delta 100 Pro	Xtol	1+2	400	18	18	18	20°
Delta 100 Pro	Xtol	1+3	400	20.5	20.5	20.5	20°
Delta 100 Pro	Xtol	stock	800	14,30	14,30	14,30	20°
Delta 100 Pro	Xtol	1+1	800	17	17	17	20°
Delta 100 Pro	Xtol	1+2	800	21,30	21,30	21,30	20°
Delta 100 Pro	Xtol	1+3	800	24,30	24,30	24,30	20°
Delta 400 Pro	Xtol	stock	200	6	6		20°
Delta 400 Pro	Xtol	1+1	200	9	9		20°
Delta 400 Pro	Xtol	stock	400	7,30	7,30		20°
Delta 400 Pro	Xtol	1+1	400	11,30	11,30		20°
Delta 400 Pro	Xtol	stock	500	8,30	8,30		20°
Delta 400 Pro	Xtol	1+1	500	13	13		20°
Delta 400 Pro	Xtol	stock	800	10	10		20°
Delta 400 Pro	Xtol	1+1	800	15,30	15,30		20°
Delta 400 Pro	Xtol	stock	1600	13	13		20°
Delta 400 Pro	Xtol	1+1	1600	20	20		20°
Delta 400 Pro	Xtol	stock	3200	17	17		20°
Delta 400 Pro	Xtol	1+1	3200	18	18		24°
Delta 3200 Pro	Xtol	stock	400	5	5		20°
Delta 3200 Pro	Xtol	stock	800	6	6		20°
Delta 3200 Pro	Xtol	stock	1600	6,30	6,30		20°
Delta 3200 Pro	Xtol	1+1	1600	15	15		24°
Delta 3200 Pro	Xtol	1+2	1600	17	17		24°
Delta 3200 Pro	Xtol	1+2	1600	15			27°

Delta 3200 Pro	Xtol	stock	3200	7,30	7,30		20°
Delta 3200 Pro	Xtol	1+2	3200	20	20		24°
Delta 3200 Pro	Xtol	stock	6400	10	10		20°
Delta 3200 Pro	Xtol	stock	12500	12,30	12,30		20°
SFX 200	Xtol	1+1	200		9		20°
KODAK							
Tri-X 320	Xtol	stock	80-160			5,30	20°
Tri-X 320	Xtol	1+1	80-160			8	20°
Tri-X 320	Xtol	1+2	80-160			10,30	20°
Tri-X 320	Xtol	1+3	80-160			12,30	20°
Tri-X 320	Xtol	1+1	200			11,30	20°
Tri-X 320	Xtol	stock	320			6	20°
Tri-X 320	Xtol	stock	320			6	24°
Tri-X 320	Xtol	1+1	320			10	20°
Tri-X 320	Xtol	1+1	320			8	24°
Tri-X 320	Xtol	1+2	320			12	20°
Tri-X 320	Xtol	1+3	320			14,30	20°
Tri-X 320	Xtol	stock	640			7,30	20°
Tri-X 320	Xtol	1+1	640			10,30	20°
Tri-X 320	Xtol	1+2	640			14	20°
Tri-X 320	Xtol	1+3	640			17,30	20°
Tri-X 320	Xtol	stock	1250			9,30	20°
Tri-X 320	Xtol	stock	1250			8,30	24°
Tri-X 320	Xtol	1+1	1250			13	20°
Tri-X 320	Xtol	1+1	1250			11	24°
Tri-X 320	Xtol	1+2	1250			16,30	20°
Tri-X 320	Xtol	1+3	1250			21,30	20°
Tri-X 320	Xtol	stock	2500			12	20°
Tri-X 320	Xtol	1+1	2500			16	20°
Tri-X 320	Xtol	1+2	2500			21	20°
Tri-X 320	Xtol	1+3	2500			26	20°
Tri-X 320	Xtol	1+1	5000			21	20°
Tri-X 400	Xtol	stock	100-200	5,30	5,30		20°
Tri-X 400	Xtol	1+1	100-200	8	7		20°
Tri-X 400	Xtol	1+2	100-200	9	9		20°
Tri-X 400	Xtol	1+3	100-200	11	11		20°
Tri-X 400	Xtol	stock	320	7,30	7,30		20°
Tri-X 400	Xtol	1+1	320	10,30	10,30		20°
Tri-X 400	Xtol	stock	400	7	7		20°
Tri-X 400	Xtol	1+1	400	8,30	8,30		20°
Tri-X 400	Xtol	1+2	400	10,30	10,30		20°
Tri-X 400	Xtol	1+3	400	12,30	12,30		20°
Tri-X 400	Xtol	stock	800	8	8		20°
Tri-X 400	Xtol	1+1	800	10	10		20°
Tri-X 400	Xtol	1+2	800	12,30	12,30		20°
Tri-X 400	Xtol	1+3	800	14	14		20°
Tri-X 400	Xtol	stock	1250		12		20°
Tri-X 400	Xtol	1+1	1250		16		20°
Tri-X 400	Xtol	stock	1600	10	10	10	20°
Tri-X 400	Xtol	1+1	1600	13,30	13,30	13,30	20°
Tri-X 400	Xtol	1+2	1600	14,30	14,30	14,30	20°
Tri-X 400	Xtol	1+3	1600	16,30	16,30	16,30	20°

Tri-X 400	Xtol	stock	3200	11,30	11,30	11,30	20°
Tri-X 400	Xtol	1+1	3200	14	14	14	20°
Tri-X 400	Xtol	1+2	3200	17	17	17	20°
Tri-X 400	Xtol	1+3	3200	20	20	20	20°
T-Max 100	Xtol	stock	25-50	6	6	6	20°
T-Max 100	Xtol	1+1	25-50	8,30	8,30	8,30	20°
T-Max 100	Xtol	1+2	25-50	12	12	12	20°
T-Max 100	Xtol	1+3	25-50	15	15	15	20°
T-Max 100	Xtol	stock	100	7	7	7	20°
T-Max 100	Xtol	1+1	100	9,30	9,30	9,30	20°
T-Max 100	Xtol	1+2	100	13	13	13	20°
T-Max 100	Xtol	1+3	100	16,30	16,30	16,30	20°
T-Max 100	Xtol	stock	200	8	8	8	20°
T-Max 100	Xtol	1+1	200	11	11	11	20°
T-Max 100	Xtol	1+2	200	14	14	14	20°
T-Max 100	Xtol	1+3	200	18	18	18	20°
T-Max 100	Xtol	stock	400	9	9	9	20°
T-Max 100	Xtol	1+1	400	12,30	12,30	12,30	20°
T-Max 100	Xtol	1+2	400	16	16	16	20°
T-Max 100	Xtol	1+3	400	21	22	22	20°
T-Max 100	Xtol	stock	800	10,3	11	11	20°
T-Max 100	Xtol	stock	800	7,3	8	8	24°
T-Max 100	Xtol	1+1	800	14,30	15,30	15,30	20°
T-Max 100	Xtol	1+1	800	9	10	10	24°
T-Max 100	Xtol	1+2	800	18	19	19	20°
T-Max 100	Xtol	1+3	800	23,30	24	24	20°
T-Max 400	Xtol	stock	400	6,30	7	7	20°
T-Max 400	Xtol	stock	100-200	6	7	7	20°
T-Max 400	Xtol	1+1	100-200	8	9	9	20°
T-Max 400	Xtol	1+2	100-200	11	12	12	20°
T-Max 400	Xtol	1+3	100-200	13	14	14	20°
T-Max 400	Xtol	stock	400	6,30	7	7	20°
T-Max 400	Xtol	1+1	400	9	10	10	20°
T-Max 400	Xtol	1+2	400	10,30	12,30	12,30	20°
T-Max 400	Xtol	1+3	400	13,30	15,30	15,30	20°
T-Max 400	Xtol	stock	800	7,30	7,30	7,30	20°
T-Max 400	Xtol	1+1	800	9,3	11	11	20°
T-Max 400	Xtol	1+2	800	12,30	14,30	14,30	20°
T-Max 400	Xtol	1+3	800	15	17,30	17,30	20°
T-Max 400	Xtol	stock	1600	8,30	8,30	8,30	20°
T-Max 400	Xtol	1+1	1600	11	12,30	12,30	20°
T-Max 400	Xtol	1+2	1600	14	16,30	16,30	20°
T-Max 400	Xtol	1+3	1600	17	19,30	19,30	20°
T-Max 400	Xtol	stock	3200	9,30	10	10	20°
T-Max 400	Xtol	stock	3200	7	7	7	24°
T-Max 400	Xtol	1+1	3200	12,30	14,30	14,30	20°
T-Max 400	Xtol	1+1	3200	9,30	10,30	10,30	24°
T-Max 400	Xtol	1+2	3200	16	19,30	19,30	20°
T-Max 400	Xtol	1+3	3200	20	23	23	20°
FUJI							
Acros 100	Xtol	stock	100	8	8		20°
Acros 100	Xtol	1+1	100	9,3	9,3		20°

Acros 100	Xtol	1+3	100	14	14	20°	
FOMA							
Fomapan 100	Xtol	stock	100	5,3	5,3	5,3	20°
Fomapan 100	Xtol	1+1	100	8	8	8	20°
Fomapan 100	Xtol	1+3	100	10	10	10	21°
Fomapan 100	Xtol	1+2	125	9	9	9	20°
Fomapan 100	Xtol	1+1	400	11,3	11,3	11,3	20°
Fomapan 200	Xtol	stock	200	6	6	6	20°
Fomapan 200	Xtol	1+1	200	8,3	8,3	8,3	20°
Fomapan 400	Xtol	1+3	160	5,3	5,3	5,3	20°
Fomapan 400	Xtol	1+1	320	12	12	12	20°
Fomapan 400	Xtol	stock	400	7	7	7	20°
Fomapan 400	Xtol	1+1	400	9,3	9,3	9,3	20°
Fomapan 400	Xtol	1+1	400	12	12	12	20°